

Special Report: Description and Analysis of The Joint Commission New Perinatal Care Measure Set

I. Overview

In November 2007, the Board of Commissioners of The Joint Commission (TJC) recommended retiring the Pregnancy and Related Conditions Core Measure Set and replacing it with an expanded set of evidence-based measures. TJC looked to the National Quality Forum (NQF) to vet recommended perinatal measures and in early 2008 NQF initiated the Perinatal Care Consensus Development Project. Proposed measures were submitted by various organizations from around the country. In October 2008, the NQF published their 17 endorsed perinatal measures. In December, 2008, the TJC appointed a Technical Advisory Panel to review the endorsed NQF measures and in February, 2009, the Panel selected five measures to become part of the new Perinatal Care Core Measure set. Specifications for the five measures were finalized by TJC in October, 2009 and will replace the current perinatal core measures beginning with April 1, 2010 discharges.

The new measures are:

- Elective Delivery (PC-01)
- Cesarean Section (PC-02)
- Antenatal Steroids (PC-03)
- Health Care-Associated Bloodstream Infections in the Newborn (PC-04)
- Exclusive Breast Milk Feeding (PC-05)


While many of the required data elements in the set can be obtained from the patient specific administrative data your hospital currently submits to NPIC/QAS, four of the five indicators require some information to be manually abstracted from the patient’s medical record. PC-01, PC-02 and PC-03 are maternal measures and PC-04 and PC-05 are newborn measures. These measures represent three domains of care; assessment/screening, prematurity care and infant feeding.

The V09.2 Description and Analysis of The Joint Commission New Perinatal Care Measure Set report is designed to provide you with background information on the new measures, links to resource/reference materials and an analysis of the initial patient populations for the maternal and newborn measures. Using specifications provided by TJC, NPIC/QAS will determine the eligible initial population for each measure in the set along with a monthly estimate of the sample size of records that would be required to be abstracted by your hospital should you choose to submit the perinatal care measure set.

II. Explanation of Initial Patient Populations

According to TJC, the initial patient population refers to “all patients (Medicare and non-Medicare) who share a common set of specified administratively derived data elements”. All cases identified within the Initial Patient Population for the measure set, strata or sampling group are available to be sampled. Once the eligible population is determined, TJC specifications require that a sampling methodology be applied to establish the number of records needing to be pulled for record abstraction.

Population & Sampling



A. Initial Patient Population for Maternal Measures (PC-01,02 and 03): A mother will be considered in the initial patient population if she;

- is \geq 8 years old and $<$ 65 years of age
- has a length of stay \leq 120 days
- has an ICD-9-CM Principal or Other Diagnosis Code as defined in Appendix A* Table 11.01 Complication Mainly Related to Pregnancy, 11.02 Normal Delivery and Other Indications for Care, 11.03 Complication Mainly in the Course of Labor and Delivery or 11.04 Complication of the Puerperium, of *the Specifications Manual for Joint Commission National Quality Measures (v 2010A2)* **.

B. Initial Patient Population for Newborns with Blood Stream Infection or BSI (PC-04): A newborn will be considered in the initial patient population if he/she;

- is \leq 2 days old at admission (will include neonates transferred in)
- has a length of stay \leq 120 days
- **no** ICD-9-CM Principal Diagnosis Code as defined in Appendix A, Table 11.10 Newborn Septicemia or Bacteremia, and **no** ICD-9-CM Other Diagnosis Code as defined in Appendix A, Table 11.20 Birth Weight Less Than 500 Grams, of *the Specifications Manual for Joint Commission National Quality Measures (v 2010A2)*.

C. Initial Patient Population for Newborns with Breast Feeding(PC-05): A newborn will be considered in the initial patient population if he/she;

- is \leq 2 days old at admission
- has a length of stay \leq 120 days
- **no** ICD-9-CM Principal or Other Diagnosis Code as defined in Appendix A, Table 11.21 Galactosemia and **no** ICD-9-CM Principal or Other Procedure Code as defined in Appendix A, Table 11.22 Parenteral Infusion, of *the Specifications Manual for Joint Commission National Quality Measures (v 2010A2)*.

Mothers and babies are sampled separately, and the sampling requirements for the maternal measures differ from the newborn measures. For the newborns, sampling will only occur for the PC-05 Exclusive Breast Milk Feeding measure. All eligible cases in PC-04, Health Care-Associated Bloodstream Infections in the Newborn are required for reporting (i.e. a 100% of the initial patient population).

* For specific ICD-9-CM codes in TJC Appendix A, refer to Section VI of this report.

** The complete TJC specification manual displaying the Perinatal Care measures can be found at:
<http://manual.jointcommission.org/releases/TJC2010A/>

The Joint Commission contact information:

The Joint Commission
One Renaissance Boulevard
Oakbrook Terrace, IL 60181
Phone: (630) 792-5000
Website: <http://www.jointcommission.org>

III. V09.2 Special Analysis: The Joint Commission New Perinatal Care Measure Set: Initial Patient Populations

The Table displays data for the three maternal and two newborn measures by month for the period 4/01/09-6/30/09.

A. Maternal Measures – PC-01 Elective Delivery, PC-02 Cesarean Section, PC-03 Antenatal Steroids

For each month, the total number of inpatient discharges on the data submission is displayed. This includes medical, surgical, obstetrical and pediatric discharges. The next line shows the number of cases that are excluded from consideration in the initial patient population based on TJC algorithm. The total inpatient discharges, minus the excluded cases equals the Mothers - Initial Patient Population. The minimum sample size of cases required to be abstracted is shown on the last line of the section and is based on the following TJC requirement:

Monthly Sample Size Based on Initial Patient Population for Mothers

Average Monthly Inpatient Population Size “N”	Minimum Required Sample Size “n”
>= 501	101
126 - 500	20% of initial patient population
25 – 125	25
< 25	No sampling; 100% Initial Patient Population required

Please note: the minimum sample size is the total number of cases that will be abstracted for the maternal measure set. For example, if your hospital is required to abstract 25 cases each month, those 25 cases will be used to calculate **all three maternal measures**. The data elements of each case determine if it is included in the measure calculation.

B1. Newborn Measure - PC-04 Health Care Associated Bloodstream Infections in Newborns

Section B.1 displays the methodology used to determine the sample size for the PC-04 measure for the months of April, May and June of 2009. As in Section A, the first line shows the total number of inpatient discharges on the data submission and the next line shows the number of cases that are excluded from consideration in the initial patient population. The total inpatient discharges, minus the excluded cases equals the Newborn- Initial Patient Population for PC-04. **Please note that this measure can be calculated using administrative data. It is not eligible for sampling. The entire Newborn Initial Patient Population will be used for reporting.**

For this measure we have also provided the estimated number of numerator and denominator cases for your hospital and calculated the rate based on the Joint Commission algorithm. Below the rate, the minimum and maximum values (i.e. range) for your subgroup and the database are also displayed.

B2. Newborn Measure - PC-05 Exclusive Breast Milk Feeding

Section B. 2 displays the methodology used to determine the sample size for the PC-05 measure for the months of April, May and June of 2009. As in Section A, the first line shows the total number of inpatient discharges on the data submission and the next line shows the number of cases that are excluded from consideration in the initial patient population. The total inpatient discharges, minus the excluded cases is the Newborn- Initial Patient Population for PC-05. It is important to note that a newborn case may be present in both the PC-04 and PC-05 initial patient populations. The last line of this section shows the number of cases to be abstracted based on the following TJC requirement:

**Monthly Sample Size
Based on Initial Patient Population for Newborns**

Average Monthly Inpatient Population Size “N”	Minimum Required Sample Size “n”
>= 181	37
46 - 180	20% of initial patient population
9 – 45	9
< 9	No sampling; 100% Initial Patient Population required

Questions regarding this analysis should be directed to Sandra Boyle, Director of Membership Services (sboyle@npic.org) or Annemarie D’Abrosca, Senior Analyst/Hospital Liaison (adabrosca@npic.org).

IV. V09.2 Special Analysis: The Joint Commission New Perinatal Care Measure Set: Initial Patient Populations

NPIC ID: SAMPLE

Date range of data: 4/1/2009-6/30/2009	April 2009	May 2009	June 2009
A. Maternal Measures			
PC-01 Elective Delivery			
PC-02 Cesarean Section			
PC-03 Antenatal Steroids			
Total inpatient discharges on the data submission*	3003	3106	2987
Excluded cases	2734	2823	2714
Mothers - Initial Patient Population	269	283	273
Minimum Sample size for the month for maternal measures (Number of cases to be abstracted)	54	57	55
B. Newborn Measures			
1. PC-04 Health Care-Associated Bloodstream Infections in Newborns			
Total inpatient discharges on the data submission*	3003	3106	2987
Excluded cases	2714	2813	2699
Initial Patient Population for this measure**	289	293	288
	Sampling is not allowed for this measure.	Sampling is not allowed for this measure.	Sampling is not allowed for this measure.
Numerator cases***	1	0	0
Denominator cases***	121	116	110
Rate	0.0083	0.0000	0.0000
Range of Rates across all Subgroup A hospitals	0.0000 - 0.1250	0.0000 - 0.0417	0.0000 - 0.0526
Range of Rates across all NPIC/QAS Database hospitals	0.0000 - 0.1250	0.0000 - 0.0417	0.0000 - 0.0526
2. PC-05 Exclusive Breast Milk Feeding			
Total inpatient discharges on the data submission*	3003	3106	2987
Excluded cases	2715	2817	2702
Initial Patient Population for this measure**	288	289	285
Minimum Sample size for the month (Number of cases to be abstracted)	37	37	37

* Determination of the initial patient population for each measure starts with all inpatient discharges on the data submission, regardless of patient category (med/surg/ob/ped), and removes cases that do not fit the initial population description. The Joint Commission monthly sampling algorithm is used to determine the size of the monthly sample from the initial patient population. We have identified the minimum monthly sample size for your hospital.

** A newborn case may be present in both PC-04 and PC-05 initial populations.

*** See Section V. Measure Set Information, Part D for numerator and denominator definitions.

V. Measure Set Information

A. Elective Delivery

PC-01 Elective deliveries have been a growing problem in the United States resulting in more cesarean deliveries, longer maternal length of stays, and adverse outcomes for the neonate. To show an improvement with this indicator, there should be a decrease in the rate of elective deliveries in your facility.

Perinatal Care Measure	Elective Delivery		
Description	Patients with elective vaginal deliveries or elective cesarean section deliveries at ≥ 37 and < 39 completed weeks of gestation <u>Data elements requiring abstraction</u> -Numeric Gestational Age* - Active Labor Documentation - the patient was in active labor with regular uterine contractions with cervical change before medical induction and/or cesarean section -Spontaneous Rupture of Membranes - Documentation exists that the patient had spontaneous rupture of membranes (SRM) before medical induction and/or cesarean section *If your hospital does not provide this data element to NPIC/QAS, manual abstraction will be required.		
	Definition	Included Populations	Excluded Populations
		<i>For specific ICD-9-CM codes in TJC Appendix A and B, refer to Section VI of this report.</i>	
Numerator Statement:	Patients with elective deliveries	ICD-9-CM Principal Procedure Code or ICD-9-CM Other Procedure Codes for one or more of the following -Medical Induction of labor as defined in TJC Appendix A, Table 11.05 -Cesarean section as defined in TJC Appendix A, Table 11.06 while not in Active Labor or experiencing Spontaneous Rupture of Membranes	No exclusions
Denominator Statement:	Patients delivering newborns with ≥ 37 and < 39 weeks gestation completed	Not applicable	ICD-9-CM Principal Diagnosis Code or ICD-9-CM Other Diagnosis Codes for conditions justifying elective delivery as defined in Appendix A Table 11.07 -Less than 8 years of age -Greater than or equal to 65 years of age -Length of stay > 120 days -Enrolled in clinical trials

B. Cesarean Section

PC-02 Deliveries by cesarean section a growing problem in the United States resulting in longer maternal length of stays and adverse outcomes for the neonate. The focus for this indicator is on Low-risk Primary Cesarean sections. To show an improvement with this indicator there should be a decrease in the rate of cesarean sections in your facility.

Perinatal Care Measure	Cesarean Section		
Description	Nulliparous women with a term, singleton baby in a vertex position delivered by cesarean section. <u>Data elements requiring abstraction:</u> -Parity* -Numeric Gestational Age* *If your hospital does not provide this data element to NPIC/QAS, manual abstraction will be required.		
√ This measure is risk adjusted	Definition	Included Populations	Excluded Populations
	<i>For specific ICD-9-CM codes in TJC Appendix A and B, refer to Section VI of this report.</i>		
Numerator Statement:	Patients with cesarean sections	<i>ICD-9-CM Principal Procedure Code or ICD-9-CM Other Procedure Codes</i> for cesarean section defined in Appendix A, Table 11.06	No exclusions
Denominator Statement:	Nulliparous patients delivered of a live term singleton newborn in vertex presentation	Nulliparous patients with <i>ICD-9-CM Principal Diagnosis Code or ICD-9-CM Other Diagnosis Codes</i> for outcome of delivery as defined in Appendix A, Table 11.08 and with a delivery of a newborn with 37 or more weeks of gestation completed	<i>ICD-9-CM Principal Diagnosis Code or ICD-9-CM Other Diagnosis Codes</i> , for contraindications to vaginal delivery as defined in Appendix A, Table 11.09 -Less than 8 years of age -Greater than or equal to 65 yrs of age -Length of stay > 120 days -Enrolled in clinical trials

C. Antenatal Steroids

PC-03 A full course of Antenatal steroids are recommended for all pregnant women at risk for preterm delivery between 24 to 34 weeks gestational age. To show an improvement with this indicator there should be an increase in the rate of mothers receiving antenatal steroids in your facility.

Perinatal Care Measure	Antenatal Steroids		
Description	Patients at risk of preterm delivery at 24 – 32 weeks gestation receiving antenatal steroids prior to delivering preterm newborns <u>Data Elements requiring abstraction:</u> - <i>Numeric Gestational Age*</i> - Documented Reason for Not Administering Antenatal Steroid <i>*If your hospital does not provide this data element to NPIC/QAS, manual abstraction will be required</i>		
	Definition	Included Populations	Excluded Populations
		<i>For specific ICD-9-CM codes in TJC Appendix A and B, refer to Section VI of this report.</i>	
Numerator Statement:	Patients with a full course of antenatal steroids completed prior to delivering preterm newborns	Patients receiving a full course of antenatal steroids (refer to Appendix B. Table 11.0 antenatal steroid medications)	No exclusions
Denominator Statement:	Patients delivering preterm newborns with 24-32 weeks gestation completed	Not applicable	-Less than 8 years of age -Greater than or equal to 65 years of age -Length of stay > 120 days - <i>Enrolled in clinical trials</i> - Documented Reason for Not Administering Antenatal Steroid

Full Course of Antenatal Corticosteroids for Preterm Deliveries between 24-32 weeks			
Drug	Dosage	Interval	Number of Doses
Betamethasone	12 mg	24 hours apart	2 doses
Dexamethasone	6 mg	Every 12 hours	4 doses

D. Health Care-Associated Bloodstream Infections in Newborns

PC-04 Health Care-Associated bloodstream Infections in Newborns is a significant problem for newborns. Effective preventive measures have been shown to decrease this problem resulting in lower infection rates. To show an improvement with this indicator there should be a decrease in the rate of health care associated bloodstream infections in your facility.

Perinatal Care Measure	Health Care-Associated Bloodstream Infections in Newborns		
Description	Staphylococcal and gram negative septicemias or bacteremias in high risk newborns		
	<p><u>Data Elements requiring abstraction</u></p> <p><i>-Numeric Birthweight*</i></p> <p><i>*If your hospital does not provide this data element to NPIC/QAS, manual abstraction will be required</i></p>		
√ This measure is risk adjusted	Definition	Included Populations	Excluded Populations
		<i>For specific ICD-9-CM codes in TJC Appendix A and B, refer to Section VI of this report.</i>	
Numerator Statement:	Newborns with septicemia or bacteremia	ICD-9-CM Other Diagnosis Codes for newborns with septicemia or bacteremia as defined in Appendix A Table 11.10 and one diagnosis code from Table 11.11	No exclusions
Denominator Statement:	Live-born newborns	<p>ICD-9-CM Other Diagnosis Codes for birthweight between 500 and 1499 grams as defined in Appendix A, Table 11.12, 11.13 or 11.14 OR <i>Birthweight</i> between 500 and 1499 grams</p> <p>OR ICD-9-CM Other Diagnosis Codes for birthweight \geq 1500 grams as defined in Appendix A, Table 11.15, 11.16 or 11.17 or Birthweight \geq 1500 grams who experienced one or more of the following:</p> <ol style="list-style-type: none"> 1. Experienced death 2. ICD-9-CM Principal Procedure Code or ICD-9-CM Other Procedure Codes for major surgery as defined in Appendix A, Table 11.18 3. ICD-9-CM Principal Procedure Code or ICD-9-CM Other Procedure Codes for mechanical ventilation as defined in Appendix A, Table 11.19 4. Transferred in from another acute care hospital within 2 days of birth 	<p>ICD-9-CM Principal Diagnosis Codes for newborns with septicemia or bacteremia as defined in Appendix A Table 11.10</p> <p>ICD-9-CM Other Diagnosis Codes for birthweight $<$ 500 grams as defined in Appendix A, Table 11.20 or</p> <p>Birthweight $<$ 500 grams</p> <p>Length of Stay $<$ 2 days OR $>$ 120 days</p> <p><i>Enrolled in clinical trials</i></p>

E. Exclusive Breast Milk Feeding

PC-05 Exclusive Breast Milk Feeding for the first six months of life has been shown to have many benefits. Research has shown that the intrapartum period has many opportunities to support successful breastfeeding. To show an improvement with this indicator there should be an increase in the rate of exclusive breast milk feeding in your facility.

Perinatal Care Measure	Exclusive Breast Milk Feeding		
Description	Exclusive breast milk feeding during the newborn's entire hospitalization <u>Data elements requiring abstraction:</u> Discharge from NICU - Documentation that the newborn was a patient in the Neonatal Intensive Care Unit (NICU) at the time of discharge from the hospital. -Documented Reason for Not Exclusively Feeding Breast Milk		
	Definition	Included Populations	Excluded Populations
		<i>For specific ICD-9-CM codes in TJC Appendix A and B, refer to Section VI of this report.</i>	
Numerator Statement:	Newborns that were fed breast milk only since birth	Not applicable	None
Denominator Statement:	Newborns discharged from the hospital	Live-born newborns	Discharged from the hospital while in the Neonatal Intensive Care Unit (NICU) <i>ICD-9-CM Principal Diagnosis Code or ICD-9-CM Other Diagnosis Codes for galactosemia as defined in Appendix A, Table 11.21</i> <i>ICD-9-CM Principal Procedure Code or ICD-9-CM Other Procedure Codes for</i> Parenteral infusion as defined in Appendix A, table 11.22 Experienced death Length of stay > 120 days -Enrolled in clinical trials -Documented Reason for Not Exclusively Feeding Breast Milk

VI.

Specifications Manual for Joint Commission National Quality Core Measures (2010A2)

Discharges 04-01-10 (2Q10) through 09-30-10 (3Q10)

<http://manual.jointcommission.org/releases/TJC2010A/>

Appendix A

**ICD-9-CM Maternal/Child Focus Code Tables only
Index of Appendix A ICD-9-CM Code Tables**

- Table Number 11.01: Complication Mainly Related to Pregnancy (Ver. 2010A)
- Table Number 11.02: Normal Delivery and Other Indications for Care (Ver. 2010A)
- Table Number 11.03: Complication Mainly in the Course of Labor and Delivery (Ver. 2010A)
- Table Number 11.04: Complication of the Puerperium (Ver. 2010A)
- Table Number 11.05: Medical Induction of Labor (Ver. 2010A)
- Table Number 11.06: Cesarean Section (Ver. 2010A)
- Table Number 11.07: Conditions Justifying Elective Delivery (Ver. 2010A1)
- Table Number 11.08: Outcome of Delivery (Ver. 2010A)
- Table Number 11.09: Contraindications to Vaginal Delivery (Ver. 2010A)
- Table Number 11.10: Newborn Septicemia or Bacteremia (Ver. 2010A)
- Table Number 11.11: Newborn Bacteremia (Ver. 2010A)
- Table Number 11.12: Birth Weight 500-749 Grams (Ver. 2010A)
- Table Number 11.13: Birth Weight 750-999 Grams (Ver. 2010A)
- Table Number 11.14: Birth Weight 1000-1499 Grams (Ver. 2010A)
- Table Number 11.15: Birth Weight 1500-1999 Grams (Ver. 2010A)
- Table Number 11.16: Birth Weight 2000-2499 Grams (Ver. 2010A)
- Table Number 11.17: Birth Weight 2500 Grams and over (Ver. 2010A)
- Table Number 11.18: Major Surgery (Ver. 2010A) Not included here.
- Table Number 11.19: Mechanical Ventilation (Ver. 2010A)
- Table Number 11.20: Birth Weight Less Than 500 Grams (Ver. 2010A)
- Table Number 11.21: Galactosemia (Ver. 2010A)
- Table Number 11.22: Parenteral Infusion (Ver. 2010A)

Table Number 11.01: Complication Mainly Related to Pregnancy (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
640.81	Other specified hemorrhage in early pregnancy, delivered w/ or w/o mention of antepartum condition	HEM EARLY PREG NEC-DELIV
640.91	Unspecified hemorrhage in early pregnancy, delivered w/ or w/o mention of antepartum condition	HEM EARLY PREG-DELIVERED
641.01	Placenta previa w/o hemorrhage, delivered w/ or w/out mention of antepartum condition	PLACENTA PREVIA-DELIVER
641.11	Hemorrhage from placenta previa, delivered w/ or w/out mention of antepartum condition	PLACENTA PREV HEM-DELIV
641.21	Premature separation of placenta, delivered, w/ or w/out mention of antepartum condition	PREM SEPAR PLACEN-DELIV
641.31	Antepartum hemorrhage associated w/coagulation defects, delivered w/ or w/out mention of antepartum condition	COAG DEF HEMORR-DELIVER
641.81	Other antepartum hemorrhage, delivered w/ or w/out mention of antepartum condition	ANTEPARTUM HEM NEC-DELIV
641.91	Unspecified antepartum hemorrhage, delivered w/ or w/out mention of antepartum condition	ANTEPARTUM HEM NOS-DELIV
642.01	Benign essential hypertension complicating pregnancy, childbirth, & puerperium, delivered w/or w/out mention of antepartum condition	ESSEN HYPERTEN-DELIVERED
642.02	Benign essential hypertension complicating pregnancy, childbirth, & puerperium, delivered w/mention of postpartum complication	ESSEN HYPERTEN-DEL W P/P
642.11	Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium, delivered w/ or w/out mention of antepartum condition	RENAL HYPERTEN PG-DELIV
642.12	Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium, delivered w/mention of postpartum complication	RENAL HYPERTEN-DEL P/P
642.21	Other pre-existing hypertension complicating pregnancy, childbirth & puerperium, delivered w/ or w/out mention of antepartum condition	OLD HYPERTEN NEC-DELIVER
642.22	Other pre-existing hypertension complicating pregnancy, childbirth & puerperium, delivered w/mention of postpartum complication	OLD HYPERTEN-DELIV W P/P
642.31	Transient hypertension of pregnancy, delivered w/ or w/out mention of antepartum condition	TRANS HYPERTEN-DELIVERED
642.32	Transient hypertension of pregnancy, delivered w/mention of postpartum complication	TRANS HYPERTEN-DEL W P/P
642.41	Mild or unspecified pre-eclampsia, delivered w/ or w/out mention of antepartum condition	MILD/NOS PREECLAMP-DELIV
642.42	Mild or unspecified pre-eclampsia, delivered w/mention of postpartum complication	MILD PREECLAMP-DEL W P/P
642.51	Severe pre-eclampsia, delivered w/ or w/out mention of antepartum condition	SEVERE PREECLAMP-DELIVER
642.52	Severe pre-eclampsia, delivered w/mention of postpartum complication	SEV PREECLAMP-DEL W P/P
642.61	Eclampsia, delivered w/ or w/out mention of antepartum condition	ECLAMPSIA-DELIVERED
642.62	Eclampsia, delivered w/mention of postpartum complication	ECLAMPSIA-DELIV W P/P
642.71	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, delivered w/ or w/out mention of antepartum condition	TOX W OLD HYPERTEN-DELIV
642.72	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, delivered w/mention of postpartum complication	TOX W OLD HYP-DEL W P/P
642.91	Unspecified hypertension complicating pregnancy, childbirth, or the puerperium, delivered w/ or w/out mention of antepartum condition	HYPERTENS NOS-DELIVERED
642.92	Unspecified hypertension complicating pregnancy, childbirth, or the puerperium, delivered w/mention of postpartum complication	HYPERTENS NOS-DEL W P/P
643.01	Mild hyperemesis gravidarum, delivered w/ or w/out mention of antepartum condition	MILD HYPEREM GRAV-DELIV
643.11	Hyperemesis gravidarum w/metabolic disturbance, delivered w/ or w/out mention of antepartum condition	HYPEREM W METAB DIS-DEL
643.21	Late vomiting of pregnancy, delivered w/ or w/out mention of antepartum condition	LATE VOMIT OF PREG-DELIV
643.81	Other vomiting complicating pregnancy, delivered w/ or w/out mention of antepartum condition	VOMIT COMPL PREG-DELIVER
643.91	Unspecified vomiting of pregnancy, delivered w/ or w/out mention of antepartum condition	VOMIT OF PREG NOS-DELIV
644.21	Early onset of delivery, delivered, w/ or w/out mention of antepartum condition	EARLY ONSET DELIVERY-DEL
645.11	Post term pregnancy, delivered, w/ or w/out mention of antepartum condition	POST TERM PREG-DEL
645.21	Prolonged pregnancy, delivered w/ or w/out mention of antepartum condition	PROLONGED PREG-DEL

646.01	Papyraceous fetus, delivered w/ or w/out mention of antepartum condition	PAPYRACEOUS FETUS-DELIV
646.11	Edema or excessive weight gain in pregnancy, w/out mention of hypertension, delivered w/ or w/out mention of antepartum condition	EDEMA IN PREG-DELIVERED
646.12	Edema or excessive weight gain in pregnancy, w/out mention of hypertension, delivered w/mention of postpartum complication	EDEMA IN PREG-DEL W P/P
646.21	Unspecified renal disease in pregnancy, w/out mention of hypertension, delivered w/ or w/out mention of antepartum condition	RENAL DIS NOS-DELIVERED
646.22	Unspecified renal disease in pregnancy, w/out mention of hypertension, delivered w/mention of postpartum complication	RENAL DIS NOS-DEL W P/P
646.31	Habitual aborter, delivered w/ or w/out mention of antepartum condition	HABITUAL ABORTER-DELIVER
646.41	Peripheral neuritis in pregnancy, delivered w/ or w/out mention of antepartum condition	NEURITIS-DELIVERED
646.42	Peripheral neuritis in pregnancy, delivered w/mention of postpartum complication	NEURITIS-DELIVERED W P/P
646.51	Asymptomatic bacteriuria in pregnancy, delivered w/ or w/out mention of antepartum condition	ASYM BACTERIURIA-DELIVER
646.52	Asymptomatic bacteriuria in pregnancy, delivered w/mention of postpartum complication	ASY BACTERIURIA-DEL W P/P
646.61	Infections of genitourinary tract in pregnancy, delivered w/ or w/out mention of antepartum condition	GU INFECTION-DELIVERED
646.62	Infections of genitourinary tract in pregnancy, delivered w/mention of postpartum complication	GU INFECTION-DELIV W P/P
646.71	Liver disorders in pregnancy, delivered w/ or w/out mention of antepartum condition	LIVER DISORDER-DELIVERED
646.81	Other specified complications of pregnancy, delivered w/ or w/out mention of antepartum condition	PREG COMPL NEC-DELIVERED
646.82	Other specified complications of pregnancy, delivered w/mention of postpartum complication	PREG COMPL NEC-DEL W P/P
646.91	Unspecified complication of pregnancy, delivered w/ or w/out mention of antepartum condition	PREG COMPL NOS-DELIVERED
647.01	Syphilis, delivered w/ or w/out mention of antepartum condition	SYPHILIS-DELIVERED
647.02	Syphilis, delivered w/mention of postpartum complication	SYPHILIS-DELIVERED W P/P
647.11	Gonorrhea, delivered w/ or w/out mention of antepartum condition	GONORRHEA-DELIVERED
647.12	Gonorrhea, delivered w/mention of postpartum complication	GONORRHEA-DELIVER W P/P
647.21	Other venereal diseases, delivered w/ or w/out mention of antepartum condition	OTHER VD-DELIVERED
647.22	Other venereal diseases, delivered w/mention of postpartum complication	OTHER VD-DELIVERED W P/P
647.31	Tuberculosis, delivered w/ or w/out mention of antepartum condition	TUBERCULOSIS-DELIVERED
647.32	Tuberculosis, delivered w/mention of postpartum complication	TUBERCULOSIS-DELIV W P/P
647.41	Malaria, delivered w/ or w/out mention of antepartum condition	MALARIA-DELIVERED
647.42	Malaria, delivered w/mention of postpartum complication	MALARIA-DELIVERED W P/P
647.51	Rubella, delivered w/ or w/out mention of antepartum condition	RUBELLA-DELIVERED
647.52	Rubella, delivered w/mention of postpartum complication	RUBELLA-DELIVERED W P/P
647.61	Other viral diseases, delivered w/ or w/out mention of antepartum condition	OTH VIRAL DIS-DELIVERED
647.62	Other viral diseases, delivered w/mention of postpartum complication	OTH VIRAL DIS-DEL W P/P
647.81	Other specified infections and parasitic diseases, delivered w/ or w/out mention of antepartum condition	INFECT DIS NEC-DELIVERED
647.82	Other specified infections and parasitic diseases, delivered w/mention of postpartum complication	INFECT DIS NEC-DEL W P/P
647.91	Unspecified infection or infestation, delivered w/ or w/out mention of antepartum condition	INFECT NOS-DELIVERED
647.92	Unspecified infection or infestation, delivered w/mention of postpartum complication	INFECT NOS-DELIVER W P/P
648.01	Diabetes mellitus, delivered with or without mention of antepartum condition	DIABETES-DELIVERED
648.02	Diabetes mellitus, delivered with mention of postpartum condition	DIABETES-DELIVERED W P/P
648.11	Thyroid dysfunction, delivered with or without mention of antepartum condition	THYROID DYSFUNC-DELIVER
648.12	Thyroid dysfunction, delivered with mention of postpartum condition	THYROID DYSFUN-DEL W P/P
648.21	Anemia, delivered w/ or w/out mention of antepartum condition	ANEMIA-DELIVERED
648.22	Anemia, delivered w/mention of postpartum complication	ANEMIA-DELIVERED W P/P
648.31	Drug dependence, delivered w/ or w/out mention of antepartum condition	DRUG DEPENDENCE-DELIVER
648.32	Drug dependence delivered w/mention of postpartum complication	DRUG DEPENDEN-DEL W P/P
648.41	Mental disorders delivered w/ or w/out mention of antepartum condition	MENTAL DISORDER-DELIVER
648.42	Mental disorders, delivered w/mention of postpartum complication	MENTAL DIS-DELIV W P/P
648.51	Congenital cardiovascular disorders, delivered w/ or w/out mention of antepartum condition	CONGEN CV DIS-DELIVERED
648.52	Congenital cardiovascular disorders, delivered w/mention of postpartum complication	CONGEN CV DIS-DEL W P/P
648.61	Other cardiovascular diseases, delivered w/ or w/o mention of antepartum condition	CV DIS NEC PREG-DELIVER
648.62	Other cardiovascular diseases, delivered w/mention of postpartum complication	CV DIS NEC-DELIVER W P/P
648.71	Bone and joint disorders of back, pelvis, and lower limbs, delivered w/ or w/out mention of antepartum condition	BONE DISORDER-DELIVERED
648.72	Bone and joint disorders of back, pelvis, and lower limbs, delivered w/mention of postpartum complication	BONE DISORDER-DEL W P/P
648.81	Abnormal glucose tolerance, delivered w/ or w/o mention of antepartum condition	ABN GLUCOSE TOLER-DELIV
648.82	Abnormal glucose tolerance, delivered w/mention of postpartum complication	ABN GLUCOSE-DELIV W P/P
648.91	Other current conditions classifiable elsewhere, delivered w/ or w/out mention of antepartum condition	OTH CURR COND-DELIVERED
648.92	Other current conditions classifiable elsewhere, delivered w/mention of postpartum complication	OTH CURR COND-DEL W P/P
649.01	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	TOBACCO USE DISOR-DELLIV
649.02	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	TOBACCO USE DIS-DEL-P/P
649.11	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	OBESITY-DELIVERED
649.12	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	OBESITY-DELIVERED W P/P
649.21	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	BARIATRIC SURG STAT-DEL
649.22	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	BARIATRIC SURG-DEL W P/P
649.31	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	COAGULATION DEF-DELIV
649.32	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	COAGULATN DEF-DEL W P/P
649.41	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	EPILEPSY-DELIVERED
649.42	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	EPILEPSY-DELIVERED W P/P
649.51	Spotting complicating pregnancy, delivered, with or without mention of antepartum condition	SPOTTING-DELIVERED
649.61	Uterine size date discrepancy, delivered, with or without mention of antepartum condition	UTERINE SIZE DESCREP-DEL
649.62	Uterine size date discrepancy, delivered, with mention of postpartum complication	UTERINE SIZE-DEL W P/P

Table Number 11.02: Normal Delivery and Other Indications for Care (Ver. 2010A)

<u>Code</u>	<u>ICD-9-CM Description</u>	<u>Shortened Description</u>
650	Delivery in a completely normal case	NORMAL DELIVERY
651.01	Multiple gestation, twin pregnancy, delivered with or without mention of antepartum condition	TWIN PREGNANCY-DELIVERED
651.11	Multiple gestation, triplet pregnancy, delivered with or without mention of antepartum condition	TRIPLET PREGNANCY-DELIV
651.21	Multiple gestation, quadruplet pregnancy, delivered with or without mention of antepartum condition	QUADRUPLET PREG-DELIVER
651.31	Multiple gestation, twin pregnancy w/fetal loss and retention of 1 fetus, delivered with or without mention of antepartum condition	TWINS W FETAL LOSS-DEL
651.41	Multiple gestation, triplet pregnancy, w/fetal loss and retention of one or more fetus (es), delivered with or without mention of antepartum condition	TRIPLETS W FET LOSS-DEL
651.51	Multiple gestation, quadruplet pregnancy, w/fetal loss and retention of 1 or more fetus(es), delivered with or without mention of antepartum condition	QUADS W FETAL LOSS-DEL
651.61	Multiple gestation, other multiple pregnancy, w/fetal loss and retention of 1 or more fetus(es), delivered with or without mention of antepartum condition	MULT GES W FET LOSS-DEL
651.71	Multiple gestation following (elective) fetal reduction, delivered without mention of antepartum condition	MULT GEST-FET REDUCT DEL
651.81	Multiple gestation, other specified multiple gestation, delivered with or without mention of antepartum condition	MULTI GESTAT NEC-DELIVER
651.91	Multiple gestation, unspecified multiple gestation, delivered with or without mention of antepartum condition	MULT GESTATION NOS-DELIV
652.01	Unstable lie, delivered, w/ or w/out mention of antepartum condition	UNSTABLE LIE-DELIVERED
652.11	Breech or other malpresentation successfully converted to cephalic presentation, delivered, w/ or w/out mention of antepartum condition	CEPHALIC VERS NOS-DELIV
652.21	Breech presentation w/o mention of version, delivered, w/ or w/out mention of antepartum condition	BREECH PRESENTAT-DELIVER
652.31	Transverse or oblique presentation, delivered, w/ or w/out mention of antepartum condition	TRANSVER/OBLIQ LIE-DELIV
652.41	Face or brow presentation, delivered, w/ or w/o mention of antepartum condition	FACE/BROW PRESENT-DELIV
652.51	High head at term, delivered, w/ or w/out mention of antepartum condition	HIGH HEAD AT TERM-DELIV
652.61	Multiple gestation w/malpresentation of 1 fetus or more, delivered, w/ or w/out mention of antepartum condition	MULT GEST MALPRES-DELIV
652.71	Prolapsed arm, delivered, w/ or w/out mention of antepartum condition	PROLAPSED ARM-DELIVERED
652.81	Other specified malposition or malpresentation, delivered, w/ or w/out mention of antepartum condition	MALPOSITION NEC-DELIVER
652.91	Unspecified malposition or malpresentation, delivered, w/ or w/out mention of antepartum condition	MALPOSITION NOS-DELIVER
653.01	Major abnormality of bony pelvis, not further specified, delivered, w/ or w/o mention of antepartum condition	PELVIC DEFORM NOS-DELIV
653.11	Generally contracted pelvis, delivered, w/ or w/o mention of antepartum condition	CONTRACT PELV NOS-DELIV
653.21	Inlet contraction of pelvis, delivered, w/ or w/o mention of antepartum condition	INLET CONTRACTION-DELIV
653.31	Outlet contraction of pelvis, delivered, w/ or w/o mention of antepartum condition	OUTLET CONTRACTION-DELIV
653.41	Fetopelvic disproportion, delivered, w/ or w/o mention of antepartum condition	FETOPELV DISPROPOR-DELIV
653.51	Unusually large fetus causing disproportion, delivered, w/ or w/o mention of antepartum condition	FETAL DISPROP NOS-DELIV
653.61	Hydrocephalic fetus causing disproportion, delivered, w/ or w/o mention of antepartum condition	HYDROCEPH FETUS-DELIVER
653.71	Other fetal abnormality causing disproportion, delivered, w/ or w/o mention of antepartum condition	OTH ABN FET DISPRO-DELIV
653.81	Disproportion of other origin, delivered, w/ or w/o mention of antepartum condition	DISPROPORTION NEC-DELIV
653.91	Unspecified disproportion, delivered, w/ or w/o mention of antepartum condition	DISPROPORTION NOS-DELIV
654.01	Congenital abnormalities of uterus, delivered w/ or w/o mention of antepartum condition	CONGEN ABN UTERUS-DELIV
654.02	Congenital abnormalities of uterus, delivered w/mention of postpartum complication	CONG ABN UTER-DEL W P/P
654.11	Tumors of body of uterus, delivered w/ or w/o mention of antepartum condition	UTERINE TUMOR-DELIVERED
654.12	Tumors of body of uterus, delivered w/mention of postpartum complication	UTERINE TUMOR-DEL W P/P
654.21	Previous cesarean delivery, delivered w/ or w/o mention of antepartum condition	PREV C-DELIVERY-DELIVRD
654.31	Retroverted and incarcerated gravid uterus, delivered w/ or w/o mention of antepartum condition	RETROVERT UTERUS-DELIVER
654.32	Retroverted and incarcerated gravid uterus, delivered w/mention of postpartum complication	RETROVERT UTER-DEL W P/P
654.41	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered w/ or w/o mention of antepartum condition	ABN UTERUS NEC-DELIVERED
654.42	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered w/mention of postpartum complication	ABN UTERUS NEC-DEL W P/P
654.51	Cervical incompetence, delivered w/ or w/o mention of antepartum condition	CERVICAL INCOMPET-DELIV
654.52	Cervical incompetence, delivered w/mention of postpartum complication	CERV INCOMPET-DEL W P/P
654.61	Other congenital or acquired abnormality of cervix, delivered w/ or w/o mention of antepartum condition	ABN CERVIX NEC-DELIVERED
654.62	Other congenital or acquired abnormality of cervix, delivered w/mention of postpartum complication	ABN CERVIX NEC-DEL W P/P
654.71	Congenital or acquired abnormality of vagina, delivered w/ or w/o mention of antepartum condition	ABNORM VAGINA-DELIVERED
654.72	Congenital or acquired abnormality of vagina, delivered w/mention of postpartum complication	ABNORM VAGINA-DEL W P/P
654.81	Congenital or acquired abnormality of vulva, delivered w/ or w/o mention of antepartum condition	ABNORMAL VULVA-DELIVERED
654.82	Congenital or acquired abnormality of vulva, delivered w/mention of postpartum complication	ABNORMAL VULVA-DEL W P/P
654.91	Other and unspecified abnormality of organs and soft tissues of pelvis, delivered w/ or w/o mention of antepartum condition	ABN PELV ORG NEC-DELIVER
654.92	Other and unspecified abnormality of organs and soft tissues of pelvis, delivered w/mention of postpartum complication	ABN PELV NEC-DELIV W P/P
655.01	Central nervous system malformation in fetus, delivered, w/ or w/o mention of antepartum condition	FETAL CNS MALFORM-DELIV
655.11	Chromosomal abnormality in fetus, delivered w/ or w/o mention of antepartum condition	FETAL CHROMOSO ABN-DELIV
655.21	Hereditary disease in family possibly affecting fetus, delivered w/ or w/o mention of antepartum condition	FAMIL HEREDIT DIS-DELIV
655.31	Suspected damage to fetus from viral disease in the mother, delivered w/ or w/o mention of antepartum condition	FET DAMG D/T VIRUS-DELIV
655.41	Suspected damage to fetus from other disease in the mother, delivered w/ or w/o mention of antepartum condition	FET DAMG D/T DIS-DELIVER
655.51	Suspected damage to fetus from drugs, delivered w/ or w/o mention of antepartum condition	FET DAMAG D/T DRUG-DELIV
655.61	Suspected damage to fetus from radiation, delivered w/ or w/o mention of antepartum condition	RADIAT FETAL DAMAG-DELIV
655.71	Decreased fetal movements, delivered w/ or w/o mention of antepartum condition	DECREASE FETAL MOVMT DEL
655.81	Other known or suspected fetal abnormality, not elsewhere classified, delivered w/ or w/o mention of antepartum condition	FETAL ABNORM NEC-DELIVER
655.91	Unspecified known or suspected fetal abnormality, delivered w/ or w/o mention of antepartum condition	FETAL ABNORM NOS-DELIVER
656.01	Fetal-maternal hemorrhage, delivered, w/ or w/o mention of antepartum condition	FETAL-MATERNAL HEM-DELIV
656.11	Rhesus isoimmunization, delivered, w/ or w/o mention of antepartum condition	RH ISOIMMUNIZAT-DELIVER
656.21	Isoimmunization from other and unspecified blood-group incompatibility, delivered, w/ or w/o mention of antepartum condition	ABO ISOIMMUNIZAT-DELIVER
656.31	Fetal distress, delivered, w/ or w/o mention of antepartum condition	FETAL DISTRESS-DELIVERED
656.41	Intrauterine death, delivered, w/ or w/o mention of antepartum condition	INTRAUTER DEATH-DELIVER
656.51	Poor fetal growth, delivered, w/ or w/o mention of antepartum condition	POOR FETAL GROWTH-DELIV

656.61	Excessive fetal growth, delivered, w/ or w/o mention of antepartum condition	EXCESS FETAL GRTH-DELIV
656.71	Other placental conditions, delivered, w/ or w/o mention of antepartum condition	OTH PLACENT COND-DELIVER
656.81	Other specified fetal and placental problems, delivered, w/ or w/o mention of antepartum condition	FET/PLAC PROB NEC-DELIV
656.91	Unspecified fetal and placental problem, delivered, w/ or w/o mention of antepartum condition	FET/PLAC PROB NOS-DELIV
657.01	Polyhydramnios, delivered w/ or w/o mention of antepartum condition	POLYHYDRAMNIOS-DELIVERED
658.01	Oligohydramnios, delivered w/ or w/o mention of antepartum condition	OLIGOHYDRAMNIOS-DELIVER
658.11	Premature rupture of membranes, delivered w/ or w/o mention of antepartum condition	PREM RUPT MEMBRAN-DELIV
658.21	Delayed delivery after spontaneous or unspecified rupture of membranes, delivered w/ or w/o mention of antepartum condition	PROLONG RUPT MEMB-DELIV
658.31	Delayed delivery after artificial rupture of membranes, delivered w/ or w/o mention of antepartum condition	ARTIFIC RUPT MEMBR-DELIV
658.41	Infection of amniotic cavity, delivered w/ or w/o mention of antepartum condition	AMNIOTIC INFECTION-DELIV
658.81	Other problems associated w/amniotic cavity and membranes, delivered w/ or w/o mention of antepartum condition	AMNIOTIC PROB NEC-DELIV
658.91	Unspecified problems associated w/amniotic cavity and membranes, delivered w/ or w/o mention of antepartum condition	AMNIOTIC PROB NOS-DELIV
659.01	Failed mechanical induction, delivered w/ or w/o mention of antepartum condition	FAIL MECH INDUCT-DELIVER
659.11	Failed medical or unspecified induction, delivered w/ or w/o mention of antepartum condition	FAIL INDUCTION NOS-DELIV
659.21	Maternal pyrexia during labor, unspecified, delivered w/ or w/o mention of antepartum condition	PYREXIA IN LABOR-DELIVER
659.31	Generalized infection during labor, delivered w/ or w/o mention of antepartum condition	SEPTICEM IN LABOR-DELIV
659.41	Grand multiparity, delivered w/ or w/o mention of antepartum condition	GRAND MULTIPARITY-DELIV
659.51	Elderly primigravida, delivered w/ or w/o mention of antepartum condition	ELDERLY PRIMIGRAVIDA-DEL
659.61	Elderly multigravida, delivered w/ or w/o mention of antepartum condition	ELDERLY MULTIGRAVIDA-DEL
659.71	Abnormality in fetal heart rate or rhythm, delivered w/ or w/o mention of antepartum condition	ABN FTL HRT RATE/RHY-DEL
659.81	Other specified indications for care or intervention related to labor and delivery, delivered w/ or w/o mention of antepartum condition	COMPLIC LABOR NEC-DELIV
659.91	Unspecified indication for care or intervention related to labor and delivery, delivered w/ or w/o mention of antepartum condition	COMPLIC LABOR NOS-DELIV

Table Number 11.03: Complication Mainly in the Course of Labor and Delivery (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
660.01	Obstructed labor, obstructions caused by malposition of fetus at onset of labor, delivered with or without mention of antepartum condition	OBSTRUC/FET MALPOS-DELIV
660.11	Obstructed labor, obstruction by bony pelvis, delivered with or without mention of antepartum condition	BONY PELV OBSTRUCT-DELIV
660.21	Obstructed labor, obstruction by abnormal pelvic soft tissues, delivered with or without mention of antepartum condition	ABN PELV TIS OBSTR-DELIV
660.31	Obstructed labor, deep transverse arrest and persistent occipitoposterior position, delivered with or without mention of antepartum condition	PERSIST OCCIPTPOST-DELIV
660.41	Shoulder (girdle) dystocia, delivered w/ or w/o mention of antepartum condition	SHOULDER DYSTOCIA-DELIV
660.51	Locked twins, delivered w/ or w/o mention of antepartum condition	LOCKED TWINS-DELIVERED
660.61	Failed trial of labor, unspecified, delivered w/ or w/o mention of antepartum condition	FAIL TRIAL LAB NOS-DELIV
660.71	Failed forceps or vacuum extractor, unspecified, delivered w/ or w/o mention of antepartum condition	FAILED FORCEPS NOS-DELIV
660.81	Other causes of obstructed labor, delivered w/ or w/o mention of antepartum condition	OBSTRUCT LABOR NEC-DELIV
660.91	Unspecified obstructed labor, delivered w/ or w/o mention of antepartum condition	OBSTRUCT LABOR NOS-DELIV
661.01	Primary uterine inertia, delivered w/ or w/o mention of antepartum condition	PRIM UTERINE INERT-DELIV
661.11	Secondary uterine inertia, delivered w/ or w/o mention of antepartum condition	SEC UTERINE INERT-DELIV
661.21	Other and unspecified uterine inertia, delivered w/ or w/o mention of antepartum condition	UTERINE INERT NEC-DELIV
661.31	Precipitate labor, delivered w/ or w/o mention of antepartum condition	PRECIPITATE LABOR-DELIV
661.41	Hypertonic, incoordinate, or prolonged uterine contractions, delivered w/ or w/o mention of antepartum condition	UTER DYSTOCIA NOS-DELIV
661.91	Unspecified abnormality of labor, delivered w/ or w/o mention of antepartum condition	ABNORMAL LABOR NOS-DELIV
662.01	Prolonged first stage, delivered w/ or w/o mention of antepartum condition	PROLONG 1ST STAGE-DELIV
662.11	Prolonged labor, unspecified, delivered w/ or w/o mention of antepartum condition	PROLONG LABOR NOS-DELIV
662.21	Prolonged second stage, delivered w/ or w/o mention of antepartum condition	PROLONG 2ND STAGE-DELIV
662.31	Delayed delivery of second twin, triplet, etc., delivered w/ or w/o mention of antepartum condition	DELAY DEL 2ND TWIN-DELIV
663.01	Prolapse of cord, delivered, w/ or w/o mention of antepartum condition	CORD PROLAPSE-DELIVERED
663.11	Cord around neck, w/compression, delivered, w/ or w/o mention of antepartum condition	CORD AROUND NECK-DELIVER
663.21	Other and unspecified cord entanglement, w/compression, delivered, w/ or w/o mention of antepartum condition	CORD COMPRESS NEC-DELIV
663.31	Other and unspecified cord entanglement, w/o compression, delivered, w/ or w/o mention of antepartum condition	CORD ENTANGLE NEC-DELIV
663.41	Short cord, delivered, w/ or w/o mention of antepartum condition	SHORT CORD-DELIVERED
663.51	Vasa previa, delivered, w/ or w/o mention of antepartum condition	VASA PREVIA-DELIVERED
663.61	Vascular lesions of cord, delivered, w/ or w/o mention of antepartum condition	VASC LESION CORD-DELIVER
663.81	Other umbilical cord complications, delivered, w/ or w/o mention of antepartum condition	CORD COMPLICAT NEC-DELIV
663.91	Unspecified umbilical cord complication, delivered, w/ or w/o mention of antepartum condition	CORD COMPLICAT NOS-DELIV
664.01	First degree perineal laceration, delivered w/ or w/o mention of antepartum condition	DEL W 1 DEG LACERAT-DEL
664.11	Second degree perineal laceration, delivered w/ or w/o mention of antepartum condition	DEL W 2 DEG LACERAT-DEL
664.21	Third degree perineal laceration, delivered w/ or w/o mention of antepartum condition	DEL W 3 DEG LACERAT-DEL
664.31	Fourth degree perineal laceration, delivered w/ or w/o mention of antepartum condition	DEL W 4 DEG LACERAT-DEL
664.41	Unspecified perineal laceration, delivered w/ or w/o mention of antepartum condition	OB PERINEAL LAC NOS-DEL
664.51	Vulval and perineal hematoma, delivered w/ or w/o mention of antepartum condition	OB PERINEAL HEMATOMA-DEL
664.81	Other specified trauma to perineum and vulva, delivered w/ or w/o mention of antepartum condition	OB PERINEAL TRAU NEC-DEL
664.91	Unspecified trauma to perineum and vulva, delivered w/ or w/o mention of antepartum condition	OB PERINEAL TRAU NOS-DEL
665.01	Rupture of uterus before onset of labor, delivered, w/ or w/o mention of antepartum condition	PRELABOR RUPT UTERUS-DEL
665.11	Rupture of uterus during labor, delivered, w/ or w/o mention of antepartum condition	RUPTURE UTERUS NOS-DELIV
665.22	Inversion of uterus, delivered, w/mention of postpartum complication	INVERS UTERUS-DEL W P/P
665.31	Laceration of cervix, delivered, w/ or w/o mention of antepartum condition	LACERAT OF CERVIX-DELIV
665.41	High vaginal laceration, delivered, w/ or w/o mention of antepartum condition	HIGH VAGINAL LACER-DELIV
665.51	Other injury to pelvic organs, delivered, w/ or w/o mention of antepartum condition	OB INJ PELV ORG NEC-DEL
665.61	Damage to pelvic joints and ligaments, delivered, w/ or w/o mention of antepartum condition	DAMAGE TO PELVIC JT-DEL
665.71	Pelvic hematoma, delivered, w/ or w/o mention of antepartum condition	OB PELVIC HEMATOMA-DELIV
665.72	Pelvic hematoma, delivered, w/mention of postpartum complication	PELVIC HEMATOMA-DEL W PP
665.81	Other specified obstetrical trauma, delivered, w/ or w/o mention of antepartum condition	OB TRAUMA NEC-DELIVERED

665.82	Other specified obstetrical trauma, delivered, w/mention of postpartum complication	OB TRAUMA NEC-DEL W P/P
665.91	Unspecified obstetrical trauma, delivered, w/ or w/o mention of antepartum condition	OB TRAUMA NOS-DELIVERED
665.92	Unspecified obstetrical trauma, delivered, w/mention of postpartum complication	OB TRAUMA NOS-DEL W P/P
666.02	Third stage hemorrhage, delivered w/mention of postpartum complication	THRD-STAGE HEM-DEL W P/P
666.12	Other immediate postpartum hemorrhage, delivered w/mention of postpartum complication	POSTPA HEM NEC-DEL W P/P
666.22	Delayed and secondary postpartum hemorrhage, delivered w/mention of postpartum complication	DELAY P/P HEM-DEL W P/P
666.32	Postpartum coagulation defects, delivered w/mention of postpartum complication	P/P COAG DEF-DEL W P/P
667.02	Retained placenta, w/o hemorrhage, delivered w/mention of postpartum complication	RETND PLAC NOS-DEL W P/P
667.12	Retained portions of placenta or membranes, w/o hemorrhage, delivered w/mention of postpartum complication	RET PROD CONC-DEL W P/P
668.01	Pulmonary complications, delivered w/ or w/o mention of antepartum condition	PULM COMPL IN DEL-DELIV
668.02	Pulmonary complications, delivered w/mention of postpartum complication	PULM COMPL-DEL W P/P
668.11	Cardiac complications, delivered w/ or w/o mention of antepartum condition	HEART COMPL IN DEL-DELIV
668.12	Cardiac complications, delivered w/mention of postpartum complication	HEART COMPL-DEL W P/P
668.21	Central nervous system complications, delivered w/ or w/o mention of antepartum condition	CNS COMPL LAB/DEL-DELIV
668.22	Central nervous system complications, delivered w/mention of postpartum complication	CNS COMPL-DEL W P/P
668.81	Other complications of anesthesia or other sedation in labor and delivery, delivered w/ or w/o mention of antepartum condition	ANESTH COMPL NEC-DELIVER
668.82	Other complications of anesthesia or other sedation in labor and delivery, delivered w/mention of postpartum complication	ANESTH COMPL NEC-DEL P/P
668.91	Unspecified complications of anesthesia and other sedation, delivered w/ or w/o mention of antepartum condition	ANESTH COMPL NOS-DELIVER
668.92	Unspecified complications of anesthesia and other sedation, delivered w/mention of postpartum complication	ANESTH COMPL NOS-DEL P/P
669.01	Maternal distress, delivered w/ or w/o mention of antepartum condition	MATERNAL DISTRESS-DELIV
669.02	Maternal distress, delivered w/mention of postpartum complication	MATERN DISTRES-DEL W P/P
669.11	Shock during or following labor and delivery, delivered w/ or w/o mention of antepartum condition	OBSTETRIC SHOCK-DELIVER
669.12	Shock during or following labor and delivery, delivered w/mention of postpartum complication	OBSTET SHOCK-DELIV W P/P
669.21	Maternal hypotension syndrome, delivered w/ or w/o mention of antepartum condition	MATERN HYPOTEN SYN-DELIV
669.22	Maternal hypotension syndrome, delivered w/mention of postpartum complication	MATERN HYPOTEN-DEL W P/P
669.32	Acute kidney failure following labor and delivery, delivered w/mention of postpartum complication	AC REN FAIL-DELIV W P/P
669.41	Other complications of obstetrical surgery and procedures, delivered w/ or w/o mention of antepartum condition	OTH OB COMPL-DELIVERED
669.42	Other complications of obstetrical surgery and procedures, delivered w/mention of postpartum complication	OTH OB COMPL-DELIV W P/P
669.51	Forceps or vacuum extractor delivery w/o mention of indication, delivered w/ or w/o mention of antepartum condition	FORCEP DELIV NOS-DELIVER
669.61	Breech extraction, w/o mention of indication, delivered w/ or w/o mention of antepartum condition	BREECH EXTR NOS-DELIVER
669.71	Cesarean delivery, w/o mention of indication, delivered w/ or w/o mention of antepartum condition	CESAREAN DELIVERY NOS
669.81	Other complications of labor and delivery, delivered w/ or w/o mention of antepartum condition	COMP LAB/DELIV NEC-DELIV
669.82	Other complications of labor and delivery, delivered w/mention of postpartum complication	COMPL DEL NEC-DEL W P/P
669.91	Unspecified complication of labor and delivery, delivered w/ or w/o mention of antepartum condition	COMP LAB/DELIV NOS-DELIV
669.92	Unspecified complication of labor and delivery, delivered w/mention of postpartum complication	COMPL DEL NOS-DEL W P/P

Table Number 11.04: Complication of the Puerperium (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
670.02	Major puerperal infection, unspecified, delivered with mention of postpartum condition	MAJOR PUERP INF-DEL P/P
670.12	Puerperal endometritis, delivered, with mention of postpartum complication	PUERP ENDOMET DEL W P/P
670.22	Puerperal sepsis, delivered, with mention of postpartum complication	PUERPRL SEPSIS-DEL W P/P
670.32	Puerperal septic thrombophlebitis, delivered, with mention of postpartum complication	PRP SPTC THRM-DEL W P/P
670.82	Other major puerperal infection, delivered, with mention of postpartum complication	MAJ PRP INF NEC-DL W P/P
671.01	Varicose veins of legs, delivered with or without mention of antepartum condition	VARICOSE VEIN LEG-DELIV
671.02	Varicose veins of legs, delivered with mention of postpartum	VARIC VEIN LEG-DEL W P/P
671.11	Varicose veins of vulva and perineum, delivered with or without mention of antepartum condition	VARICOSE VULVA-DELIVERED
671.12	Varicose veins of vulva and perineum, delivered w/mention of postpartum complication	VARICOSE VULVA-DEL W P/P
671.21	Superficial thrombophlebitis, delivered w/ or w/o mention of antepartum condition	THROMBOPHLEBITIS-DELIVER
671.22	Superficial thrombophlebitis, delivered w/mention of postpartum condition	THROMBOPHLEB-DELIV W P/P
671.31	Deep phlebothrombosis, antepartum, delivered w/ or w/o mention of antepartum condition	DEEP THROM ANTEPAR-DELIV
671.42	Deep phlebothrombosis, postpartum, delivered w/mention of postpartum complication	THROMB POSTPAR-DEL W P/P
671.51	Other phlebitis and thrombosis, delivered w/ or w/o mention of antepartum condition	THROMBOSIS NEC-DELIVERED
671.52	Other phlebitis and thrombosis, delivered w/mention of postpartum complication	THROMB NEC-DELIV W P/P
671.81	Other venous complication, delivered w/ or w/o mention of antepartum condition	VENOUS COMPL NEC-DELIVER
671.82	Other venous complication, delivered w/mention of postpartum complication	VEN COMP NEC-DELIV W P/P
671.91	Unspecified venous complication, delivered w/ or w/o mention of antepartum condition	VENOUS COMPL NOS-DELIVER
671.92	Unspecified venous complication, delivered w/mention of postpartum complication	VEN COMP NOS-DELIV W P/P
672.02	Pyrexia of unknown origin during the puerperium, delivered w/mention of postpartum complication	PUERP PYREXIA-DEL W P/P
673.01	Obstetrical air embolism, delivered w/ or w/o mention of antepartum condition	OB AIR EMBOLISM-DELIVER
673.02	Obstetrical air embolism, delivered w/mention of postpartum complication	OB AIR EMBOL-DELIV W P/P
673.11	Amniotic fluid embolism, delivered w/ or w/o mention of antepartum condition	AMNIOTIC EMBOLISM-DELIV
673.12	Amniotic fluid embolism, delivered w/mention of postpartum complication	AMNIOT EMBOL-DELIV W P/P
673.21	Obstetrical blood-clot embolism, delivered w/ or w/o mention of antepartum condition	PULM EMBOL NOS-DELIVERED
673.22	Obstetrical blood-clot embolism, delivered w/mention of postpartum complication	PULM EMBOL NOS-DEL W P/P
673.31	Obstetrical pyemic and septic embolism, delivered w/ or w/o mention of antepartum condition	OB PYEMIC EMBOL-DELIVER
673.32	Obstetrical pyemic and septic embolism, delivered w/mention of postpartum complication	OB PYEM EMBOL-DEL W P/P
673.81	Other pulmonary embolism, delivered w/ or w/o mention of antepartum condition	PULMON EMBOL NEC-DELIVER
673.82	Other pulmonary embolism, delivered w/mention of postpartum complication	PULM EMBOL NEC-DEL W P/P
674.01	Cerebrovascular disorders in the puerperium, delivered w/ or w/o mention of antepartum condition	PUERP CEREBVAS DIS-DELIV
674.02	Cerebrovascular disorders in the puerperium, delivered w/mention of postpartum complication	CEREBVAS DIS-DELIV W P/P
674.12	Disruption of cesarean wound, delivered w/mention of postpartum complication	DISRUPT C-SECT-DEL W P/P
674.22	Disruption of perineal wound, delivered w/mention of postpartum complication	DISRUPT PERIN-DEL W P/P
674.32	Other complications of obstetrical surgical wounds, delivered w/mention of postpartum complication	OB SURG COMPL-DEL W P/P
674.42	Placental polyp, delivered w/mention of postpartum complication	PLACENT POLYP-DEL W P/P
674.82	Other complications of the puerperium, delivered w/mention of postpartum complication	PUERP COMP NEC-DEL W P/P
674.92	Unspecified complications of the puerperium, delivered w/mention of postpartum complication	PUERP COMP NOS-DEL W P/P
675.01	Infections of nipple, delivered w/ or w/o mention of antepartum condition	INFECT NIPPLE-DELIVERED

675.02	Infections of nipple, delivered w/mention of postpartum complication	INFECT NIPPLE-DEL W P/P
675.11	Abscess of breast, delivered w/ or w/o mention of antepartum condition	BREAST ABSCESS-DELIVERED
675.12	Abscess of breast, delivered w/mention of postpartum complication	BREAST ABSCESS-DEL W P/P
675.21	Nonpurulent mastitis, delivered w/ or w/o mention of antepartum condition	MASTITIS-DELIVERED
675.22	Nonpurulent mastitis, delivered w/mention of postpartum complication	MASTITIS-DELIV W P/P
675.81	Other specified infections of the breast and nipple, delivered w/ or w/o mention of antepartum condition	BREAST INFECT NEC-DELIV
675.82	Other specified infections of the breast and nipple, delivered w/mention of postpartum complication	BREAST INF NEC-DEL W P/P
675.91	Unspecified infection of the breast and nipple, delivered w/ or w/o mention of antepartum condition	BREAST INFECT NOS-DELIV
675.92	Unspecified infection of the breast and nipple, delivered w/mention of postpartum complication	BREAST INF NOS-DEL W P/P
676.01	Retracted nipple, delivered w/ or w/o mention of antepartum condition	RETRACTED NIPPLE-DELIVER
676.02	Retracted nipple, delivered w/mention of postpartum complication	RETRACT NIPPLE-DEL W P/P
676.11	Cracked nipple, delivered w/ or w/o mention of antepartum condition	CRACKED NIPPLE-DELIVERED
676.12	Cracked nipple, delivered w/mention of postpartum complication	CRACKED NIPPLE-DEL W P/P
676.21	Engorgement of breasts, delivered w/ or w/o mention of antepartum condition	BREAST ENGORGE-DELIVERED
676.22	Engorgement of breasts, delivered w/mention of postpartum complication	BREAST ENGORGE-DEL W P/P
676.31	Other and unspecified disorder of breast, delivered w/ or w/o mention of antepartum condition	BREAST DIS NEC-DELIVERED
676.32	Other and unspecified disorder of breast, delivered w/mention of postpartum complication	BREAST DIS NEC-DEL W P/P
676.41	Failure of lactation, delivered w/ or w/o mention of antepartum condition	LACTATION FAIL-DELIVERED
676.42	Failure of lactation, delivered w/mention of postpartum complication	LACTATION FAIL-DEL W P/P
676.51	Suppressed lactation, delivered w/ or w/o mention of antepartum condition	SUPPR LACTATION-DELIVER
676.52	Suppressed lactation, delivered w/mention of postpartum complication	SUPPR LACTAT-DEL W P/P
676.61	Galactorrhea, delivered w/ or w/o mention of antepartum condition	GALACTORRHEA-DELIVERED
676.62	Galactorrhea, delivered w/mention of postpartum complication	GALACTORRHEA-DEL W P/P
676.81	Other disorders of lactation, delivered w/ or w/o mention of antepartum condition	LACTATION DIS NEC-DELIV
676.82	Other disorders of lactation, delivered w/mention of postpartum complication	LACTAT DIS NEC-DEL W P/P
676.91	Unspecified disorder of lactation, delivered w/ or w/o mention of antepartum condition	LACTATION DIS NOS-DELIV
676.92	Unspecified disorder of lactation, delivered w/mention of postpartum complication	LACTAT DIS NOS-DEL W P/P

Table Number 11.05: Medical Induction of Labor (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
73.01	Induction of labor by artificial rupture of membranes	INDUCT LABOR-RUPT MEMB
73.1	Other surgical induction of labor	SURG INDUCT LABOR NEC
73.4	Medical induction of labor	MEDICAL INDUCTION LABOR

Table Number 11.06: Cesarean Section (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
74	Classical cesarean section	CLASSICAL C-SECTION
74.1	Low cervical cesarean section	LOW CERVICAL C-SECTION
74.2	Extraperitoneal cesarean section	EXTRAPERITONEAL C-SECTION
74.4	Cesarean section of other specified type	CESAREAN SECTION NEC
74.99	Other cesarean section of unspecified type	CESAREAN SECTION NOS

Table Number 11.07: Conditions Justifying Elective Delivery (Ver. 2010A1)

Code	ICD-9-CM Description	Shortened Description
641.01	Placenta previa w/o hemorrhage, delivered w/ or w/out mention of antepartum condition	PLACENTA PREVIA-DELIVER
641.11	Hemorrhage from placenta previa, delivered w/ or w/out mention of antepartum condition	PLACENTA PREV HEM-DELIV
641.21	Premature separation of placenta, delivered, w/ or w/out mention of antepartum condition	PREM SEPAR PLACEN-DELIV
641.31	Antepartum hemorrhage associated w/coagulation defects, delivered w/ or w/out mention of antepartum condition	COAG DEF HEMORR-DELIVER
641.81	Other antepartum hemorrhage, delivered w/ or w/out mention of antepartum condition	ANTEPARTUM HEM NEC-DELIV
641.91	Unspecified antepartum hemorrhage, delivered w/ or w/out mention of antepartum condition	ANTEPARTUM HEM NOS-DELIV
642.01	Benign essential hypertension complicating pregnancy, childbirth, & puerperium, delivered w/or w/out mention of antepartum condition	ESSEN HYPERTEN-DELIVERED
642.02	Benign essential hypertension complicating pregnancy, childbirth, & puerperium, delivered w/mention of postpartum complication	ESSEN HYPERTEN-DEL W P/P
642.11	Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium, delivered w/ or w/out mention of antepartum condition	RENAL HYPERTEN PG-DELIV
642.12	Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium, delivered w/mention of postpartum complication	RENAL HYPERTEN-DEL P/P
642.21	Other pre-existing hypertension complicating pregnancy, childbirth & puerperium, delivered w/ or w/out mention of antepartum condition	OLD HYPERTEN NEC-DELIVER
642.22	Other pre-existing hypertension complicating pregnancy, childbirth & puerperium, delivered w/mention of postpartum complication	OLD HYPERTEN-DELIV W P/P
642.31	Transient hypertension of pregnancy, delivered w/ or w/out mention of antepartum condition	TRANS HYPERTEN-DELIVERED
642.32	Transient hypertension of pregnancy, delivered w/mention of postpartum complication	TRANS HYPERTEN-DEL W P/P
642.41	Mild or unspecified pre-eclampsia, delivered w/ or w/out mention of antepartum condition	MILD/NOS PREECLAMP-DELIV
642.42	Mild or unspecified pre-eclampsia, delivered w/mention of postpartum complication	MILD PREECLAMP-DEL W P/P
642.51	Severe pre-eclampsia, delivered w/ or w/out mention of antepartum condition	SEVERE PREECLAMP-DELIVER
642.52	Severe pre-eclampsia, delivered w/mention of postpartum complication	SEV PREECLAMP-DEL W P/P
642.61	Eclampsia, delivered w/ or w/out mention of antepartum condition	ECLAMPSIA-DELIVERED
642.62	Eclampsia, delivered w/mention of postpartum complication	ECLAMPSIA-DELIV W P/P
642.71	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, delivered w/ or w/out mention of antepartum condition	TOX W OLD HYPERTEN-DELIV
642.72	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, delivered w/mention of postpartum complication	TOX W OLD HYP-DEL W P/P
642.91	Unspecified hypertension complicating pregnancy, childbirth, or the puerperium, delivered w/ or w/out mention of antepartum condition	HYPERTENS NOS-DELIVERED
642.92	Unspecified hypertension complicating pregnancy, childbirth, or the puerperium, delivered w/mention of postpartum complication	HYPERTENS NOS-DEL W P/P
645.11	Post term pregnancy, delivered, w/ or w/out mention of antepartum condition	POST TERM PREG-DEL

645.21	Prolonged pregnancy, delivered w/ or w/out mention of antepartum condition	PROLONGED PREG-DEL
646.21	Unspecified renal disease in pregnancy, w/out mention of hypertension, delivered w/ or w/out mention of antepartum condition	RENAL DIS NOS-DELIVERED
646.22	Unspecified renal disease in pregnancy, w/out mention of hypertension, delivered w/mention of postpartum complication	RENAL DIS NOS-DEL W P/P
646.71	Liver disorders in pregnancy, delivered w/ or w/out mention of antepartum condition	LIVER DISORDER-DELIVERED
648.02	Diabetes mellitus, delivered with mention of postpartum condition	DIABETES-DELIVERED W P/P
648.51	Congenital cardiovascular disorders, delivered w/ or w/out mention of antepartum condition	CONGEN CV DIS-DELIVERED
648.52	Congenital cardiovascular disorders, delivered w/mention of postpartum complication	CONGEN CV DIS-DEL W P/P
648.61	Other cardiovascular diseases, delivered w/ or w/o mention of antepartum condition	CV DIS NEC PREG-DELIVER
648.62	Other cardiovascular diseases, delivered w/mention of postpartum complication	CV DIS NEC-DELIVER W P/P
648.81	Abnormal glucose tolerance, delivered w/ or w/o mention of antepartum condition	ABN GLUCOSE TOLER-DELIV
648.82	Abnormal glucose tolerance, delivered w/mention of postpartum complication	ABN GLUCOSE-DELIV W P/P
649.31	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	COAGULATION DEF-DELIV
649.32	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	COAGULATN DEF-DEL W P/P
649.73	Cervical shortening, antepartum condition or complication	CERVICAL SHORTENING-ANTE
651.01	Multiple gestation, twin pregnancy, delivered with or without mention of antepartum condition	TWIN PREGNANCY-DELIVERED
651.11	Multiple gestation, triplet pregnancy, delivered with or without mention of antepartum condition	TRIPLET PREGNANCY-DELIV
651.21	Multiple gestation, quadruplet pregnancy, delivered with or without mention of antepartum condition	QUADRUPLET PREG-DELIVER
651.31	Multiple gestation, twin pregnancy w/fetal loss and retention of 1 fetus, delivered with or without mention of antepartum condition	TWINS W FETAL LOSS-DEL
651.41	Multiple gestation, triplet pregnancy, w/fetal loss and retention of one or more fetus (es), delivered with or without mention of antepartum condition	TRIPLETS W FET LOSS-DEL
651.51	Multiple gestation, quadruplet pregnancy, w/fetal loss and retention of 1 or more fetus(es), delivered with or without mention of antepartum condition	QUADS W FETAL LOSS-DEL
651.61	Multiple gestation, other multiple pregnancy, w/fetal loss and retention of 1 or more fetus(es), delivered with or without mention of antepartum condition	MULT GES W FET LOSS-DEL
651.71	Multiple gestation following (elective) fetal reduction, delivered without mention of antepartum condition	MULT GEST-FET REDUCT DEL
651.81	Multiple gestation, other specified multiple gestation, delivered with or without mention of antepartum condition	MULTI GESTAT NEC-DELIVER
651.91	Multiple gestation, unspecified multiple gestation, delivered with or without mention of antepartum condition	MULT GESTATION NOS-DELIV
652.01	Unstable lie, delivered, w/ or w/out mention of antepartum condition	UNSTABLE LIE-DELIVERED
652.11	Breech or other malpresentation successfully converted to cephalic presentation, delivered, w/ or w/out mention of antepartum condition	CEPHALIC VERS NOS-DELIV
652.21	Breech presentation w/o mention of version, delivered, w/ or w/out mention of antepartum condition	BREECH PRESENTAT-DELIVER
652.31	Transverse or oblique presentation, delivered, w/ or w/out mention of antepartum condition	TRANSVER/OBLIQ LIE-DELIV
652.41	Face or brow presentation, delivered, w/ or w/o mention of antepartum condition	FACE/BROW PRESENT-DELIV
652.51	High head at term, delivered, w/ or w/out mention of antepartum condition	HIGH HEAD AT TERM-DELIV
652.61	Multiple gestation w/malpresentation of 1 fetus or more, delivered, w/ or w/out mention of antepartum condition	MULT GEST MALPRES-DELIV
654.31	Retroverted and incarcerated gravid uterus, delivered w/ or w/o mention of antepartum condition	RETROVERT UTERUS-DELIVER
654.32	Retroverted and incarcerated gravid uterus, delivered w/mention of postpartum complication	RETROVERT UTER-DEL W P/P
655.01	Central nervous system malformation in fetus, delivered, w/ or w/o mention of antepartum condition	FETAL CNS MALFORM-DELIV
655.11	Chromosomal abnormality in fetus, delivered w/ or w/o mention of antepartum condition	FETAL CHROMOSO ABN-DELIV
655.31	Suspected damage to fetus from viral disease in the mother, delivered w/ or w/o mention of antepartum condition	FET DAMG D/T VIRUS-DELIV
655.41	Suspected damage to fetus from other disease in the mother, delivered w/ or w/o mention of antepartum condition	FET DAMG D/T DIS-DELIVER
655.51	Suspected damage to fetus from drugs, delivered w/ or w/o mention of antepartum condition	FET DAMAG D/T DRUG-DELIV
655.61	Suspected damage to fetus from radiation, delivered w/ or w/o mention of antepartum condition	RADIAT FETAL DAMAG-DELIV
656.01	Fetal-maternal hemorrhage, delivered, w/ or w/o mention of antepartum condition	FETAL-MATERNAL HEM-DELIV
656.11	Rhesus isoimmunization, delivered, w/ or w/o mention of antepartum condition	RH ISOIMMUNIZAT-DELIVER
656.21	Isoimmunization from other and unspecified blood-group incompatibility, delivered, w/ or w/o mention of antepartum condition	ABO ISOIMMUNIZAT-DELIVER
656.41	Intrauterine death, delivered, w/ or w/o mention of antepartum condition	INTRAUTER DEATH-DELIVER
656.51	Poor fetal growth, delivered, w/ or w/o mention of antepartum condition	POOR FETAL GROWTH-DELIV
657.01	Polyhydramnios, delivered w/ or w/o mention of antepartum condition	POLYHYDRAMNIOS-DELIVERED
658.01	Oligohydramnios, delivered w/ or w/o mention of antepartum condition	OLIGOHYDRAMNIOS-DELIVER
658.11	Premature rupture of membranes, delivered w/ or w/o mention of antepartum condition	PREM RUPT MEMBRAN-DELIV
658.21	Delayed delivery after spontaneous or unspecified rupture of membranes, delivered w/ or w/o mention of antepartum condition	PROLONG RUPT MEMB-DELIV
V27.1	Single stillborn	DELIVER-SINGLE STILLBORN

Table Number 11.08: Outcome of Delivery (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
V27.0	Single liveborn	DELIVER-SINGLE LIVEBORN

Table Number 11.09: Contraindications to Vaginal Delivery (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
644.20	Early onset of delivery, onset (spontaneous) of delivery premature labor with onset of delivery, unspecified as to episode of care or not applicable	EARLY ONSET DELIV-UNSPEC
644.21	Early onset of delivery, onset (spontaneous) of delivery premature labor with onset of delivery, delivered, with or without mention of antepartum condition	EARLY ONSET DELIVERY-DEL
651.00	Multiple gestation, twin pregnancy, unspecified as to episode of care or not applicable	TWIN PREGNANCY-UNSPEC
651.01	Multiple gestation, twin pregnancy, delivered with or without mention of antepartum condition	TWIN PREGNANCY-DELIVERED
651.03	Multiple gestation, twin pregnancy, antepartum condition or complication	TWIN PREGNANCY-ANTEPART
651.10	Multiple gestation, triplet pregnancy, unspecified as to episode of care or not applicable	TRIPLET PREGNANCY-UNSPEC
651.11	Multiple gestation, triplet pregnancy, delivered with or without mention of antepartum condition	TRIPLET PREGNANCY-DELIV
651.13	Multiple gestation, triplet pregnancy, antepartum condition or complication	TRIPLET PREG-ANTEPARTUM
651.20	Multiple gestation, quadruplet pregnancy, unspecified as to episode of care or not applicable	QUADRUPLET PREG-UNSPEC
651.21	Multiple gestation, quadruplet pregnancy, delivered with or without mention of antepartum condition	QUADRUPLET PREG-DELIVER

651.23	Multiple gestation, quadruplet pregnancy, antepartum condition or complication	QUADRUPLET PREG-ANTEPART
651.30	Multiple gestation, twin pregnancy w/fetal loss and retention of 1 fetus, unspecified as to episode of care or not applicable	TWINS W FETAL LOSS-UNSP
651.31	Multiple gestation, twin pregnancy w/fetal loss and retention of 1 fetus, delivered with or without mention of antepartum condition	TWINS W FETAL LOSS-DEL
651.33	Multiple gestation, twin pregnancy w/fetal loss and retention of 1 fetus, antepartum condition or complication	TWINS W FETAL LOSS-ANTE
651.40	Multiple gestation, triplet pregnancy, w/fetal loss and retention of one or more fetus (es), unspecified as to episode of care or not applicable	TRIPLETS W FET LOSS-UNSP
651.41	Multiple gestation, triplet pregnancy, w/fetal loss and retention of one or more fetus (es), delivered with or without mention of antepartum condition	TRIPLETS W FET LOSS-DEL
651.43	Multiple gestation, triplet pregnancy, w/fetal loss and retention of one or more fetus (es), antepartum condition or complication	TRIPLETS W FET LOSS-ANTE
651.50	Multiple gestation, quadruplet pregnancy, w/fetal loss and retention of 1 or more fetus(es), unspecified as to episode of care or not applicable	QUADS W FETAL LOSS-UNSP
651.51	Multiple gestation, quadruplet pregnancy, w/fetal loss and retention of 1 or more fetus(es), delivered with or without mention of antepartum condition	QUADS W FETAL LOSS-DEL
651.53	Multiple gestation, quadruplet pregnancy, w/fetal loss and retention of 1 or more fetus(es), antepartum condition or complication	QUADS W FETAL LOSS-ANTE
651.60	Multiple gestation, other multiple pregnancy, w/fetal loss and retention of 1 or more fetus(es), unspecified as to episode of care or not applicable	MULT GES W FET LOSS-UNSP
651.61	Multiple gestation, other multiple pregnancy, w/fetal loss and retention of 1 or more fetus(es), delivered with or without mention of antepartum condition	MULT GES W FET LOSS-DEL
651.63	Multiple gestation, other multiple pregnancy, w/fetal loss and retention of 1 or more fetus(es), antepartum condition or complication	MULT GES W FET LOSS-ANTE
651.80	Multiple gestation, other specified multiple gestation, unspecified as to episode of care or not applicable	MULTI GESTAT NEC-UNSPEC
651.81	Multiple gestation, other specified multiple gestation, delivered with or without mention of antepartum condition	MULTI GESTAT NEC-DELIVER
651.83	Multiple gestation, other specified multiple gestation, antepartum condition or complication	MULTI GEST NEC-ANTEPART
651.90	Multiple gestation, unspecified multiple gestation, unspecified as to episode of care or not applicable	MULTI GESTAT NOS-UNSPEC
651.91	Multiple gestation, unspecified multiple gestation, delivered with or without mention of antepartum condition	MULT GESTATION NOS-DELIV
651.93	Multiple gestation, unspecified multiple gestation, antepartum condition or complication	MULTI GEST NOS-ANTEPART
652.20	Multiple gestation, unspecified multiple gestation, unspecified as to episode of care or not applicable	MULTI GESTAT NOS-UNSPEC
652.21	Breech presentation w/o mention of version, delivered, w/ or w/out mention of antepartum condition	BREECH PERSENTAT-DELIVER
652.23	Breech presentation w/o mention of version, delivered, antepartum condition or complication	BREECH PRESENT-ANTEPART
652.30	Transverse or oblique presentation, delivered, unspecified as to episode of care or not applicable	TRANS/OBLIQ LIE-UNSPEC
652.31	Transverse or oblique presentation, delivered, w/ or w/out mention of antepartum condition	TRANSVER/OBLIQ LIE-DELIV
652.33	Transverse or oblique presentation, delivered, antepartum condition or complication	TRANS/OBLIQ LIE-ANTEPAR
652.40	Face or brow presentation, delivered, unspecified as to episode of care or not applicable	FACE/BROW PRESENT-UNSPEC
652.41	Face or brow presentation, delivered, w/ or w/out mention of antepartum condition	FACE/BROW PRESENT DELIV
652.43	Face or brow presentation, delivered, antepartum condition or complication	FACE/BROW PRES-ANTEPART
652.60	Multiple gestation w/malpresentation of 1 fetus or more, unspecified as to episode of care or not applicable	MULT GEST MALPRESEN-UNSP
652.61	Multiple gestation w/malpresentation of 1 fetus or more, delivered, w/ or w/out mention of antepartum condition	MULT GEST MALPRE-DELIV
652.63	Multiple gestation w/malpresentation of 1 fetus or more, antepartum condition or complication	MULT GES MALPRES-ANTEPAR
654.20	Abnormality of organs and soft tissue of pelvis, previous cesarean delivery, unspecified as to episode of care or not applicable	PREV C-SECT NOS-UNSPEC
654.21	Abnormality of organs and soft tissue of pelvis, previous cesarean delivery, w/ or w/out mention of antepartum condition	PREV C-SECT NOS-DELIVER
654.23	Abnormality of organs and soft tissue of pelvis, previous cesarean delivery, antepartum condition or complication	PREV C-SECT NOS-ANTEPART
656.40	Other known or suspected fetal and placental problems affecting management of mother, intrauterine death, unspecified as to episode of care or not applicable	INTRAUTERINE DEATH-UNSP
656.41	Other known or suspected fetal and placental problems affecting management of mother, intrauterine death, w/ or w/out mention of antepartum condition	INTRAUTER DEATH-DELIVER
656.43	Other known or suspected fetal and placental problems affecting management of mother, intrauterine death, antepartum condition or complication	INTRAUTER DEATH-ANTEPART
660.50	Obstructed labor, locked twins, unspecified as to episode of care or not applicable	LOCKED TWINS-UNSPECIFIED
660.51	Obstructed labor, locked twins, w/ or w/out mention of antepartum condition	LOCKED TWINS-DELIVERED
660.53	Obstructed labor, locked twins, antepartum condition or complication	LOCKED TWINS-ANTEPARTUM
662.30	Long labor, delayed delivery of second twin, triplet, etc., unspecified as to episode of care or not applicable	DELAY DEL 2ND TWIN-UNSP
662.31	Long labor, delayed delivery of second twin, triplet, etc., w/ or w/out mention of antepartum condition	DELAY DEL 2ND TWIN-DELIV
662.33	Long labor, delayed delivery of second twin, triplet, etc., antepartum condition or complication	DELAY DEL 2 TWIN-ANTEPAR
669.60	Other complications of labor and delivery, not elsewhere classified, breech extraction, without mention of indication, unspecified as to episode of care or not applicable	BREECH EXTR NOS-UNSPEC
669.61	Other complications of labor and delivery, not elsewhere classified, breech extraction, without mention of indication, w/ or w/out mention of antepartum condition	BREECH EXTR NOS-DELIVER
761.5	Fetus or newborn affected by maternal complications of pregnancy, multiple pregnancy	MULT PREGNANCY AFF NB
V27.1	Single stillborn	DELIVER-SINGLE STILLBORN
V27.2	Twins, both liveborn	DELIVER-TWINS, BOTH LIVE
V27.3	Twins, one liveborn and one stillborn	DEL-TWINS, 1 NB, 1 SB
V27.4	Twins, both stillborn	DELIVER-TWINS, BOTH SB
V27.5	Other multiple births, all liveborn	DEL-MULT BIRTH, ALL LIVE
V27.6	Other multiple births, some liveborn	DEL-MULT BRTH, SOME LIVE
V27.7	Other multiple births, all stillborn	DEL-MULT BIRTH, ALL SB

Table Number 11.10: Newborn Septicemia or Bacteremia (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
771.81	Septicemia [sepsis] of newborn	NB SEPTICEMIA [SEPSIS]
771.83	Bacteremia of newborn	BACTEREMIA OF NEWBORN

Table Number 11.11: Newborn Bacteremia (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
041.04	Streptococcus Group D (Enterococcus)	ENTEROCOCCUS GROUP D

041.10	Staphylococcus, unspecified	STAPHYLOCOCCUS UNSPCFIED
041.11	Staphylococcus aureus	STAPHYLOCOCCUS AUREUS
041.19	Other Staphylococcus	OTHER STAPHYLOCOCCUS
041.30	Friedländer's bacillus (Klebsiella pneumoniae)	KLEBSIELLA INFECT NOS
041.40	Escherichia coli	E. COLI INFECT NOS
041.70	Pseudomonas	PSEUDOMONAS INFECT NOS

Table Number 11.12: Birth Weight 500-749 Grams (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
764.02	Light-for-dates without mention of fetal malnutrition - 500-749 grams	LT-FOR-DATES 500-749G
764.12	Light-for-dates with signs of fetal malnutrition - 500-749 grams	LT-DATE W/MAL 500-749G
764.22	Fetal malnutrition without mention of "light-for-dates" - 500-749 grams	FETAL MALNUTR 500-749G
764.92	Fetal growth retardation, unspecified - 500-749 grams	FET GROWTH RET 500-749G
765.02	Extreme immaturity - 500-749 grams	EXTREME IMMATUR 500-749G
765.12	Other preterm infants - 500-749 grams	PRETERM NEC 500-749G

Table Number 11.13: Birth Weight 750-999 Grams (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
764.03	Light-for-dates without mention of fetal malnutrition - 750-999 grams	LT-FOR-DATES 750-999G
764.13	Light-for-dates with signs of fetal malnutrition - 750-999 grams	LT-DATE W/MAL 750-999G
764.23	Fetal malnutrition without mention of "light-for-dates" - 750-999 grams	FETAL MAL 750-999G
764.93	Fetal growth retardation, unspecified - 750-999 grams	FET GROWTH RET 750-999G
765.03	Extreme immaturity - 750-999 grams	EXTREME IMMATUR 750-999G
765.13	Other preterm infants - 750-999 grams	PRETERM NEC 750-999G

Table Number 11.14: Birth Weight 1000-1499 Grams (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
764.04	Light-for-dates without mention of fetal malnutrition - 1000-1249 grams	LT-FOR-DATES 1000-1249G
764.05	Light-for-dates without mention of fetal malnutrition - 1250-1499 grams	LT-FOR-DATES 1250-1499G
764.14	Light-for-dates with signs of fetal malnutrition - 1000-1249 grams	LT-DATE W/MAL 1000-1249G
764.15	Light-for-dates with signs of fetal malnutrition - 1250-1499 grams	LT-DATE W/MAL 1250-1499G
764.24	Fetal malnutrition without mention of "light-for-dates" - 1000-1249 grams	FETAL MAL 1000-1249G
764.25	Fetal malnutrition without mention of "light-for-dates" - 1250-1499 grams	FETAL MAL 1250-1499G
764.94	Fetal growth retardation, unspecified - 1000-1249 grams	FET GRWTH RET 1000-1249G
764.95	Fetal growth retardation, unspecified - 1250-1499 grams	FET GRWTH RET 1250-1499G
765.04	Extreme immaturity - 1000-1249 grams	EXTREME IMMAT 1000-1249G
765.05	Extreme immaturity - 1250-1499 grams	EXTREME IMMAT 1250-1499G
765.14	Other preterm infants - 1000-1249 grams	PRETERM NEC 1000-1249G
765.15	Other preterm infants - 1250-1499 grams	PRETERM NEC 1250-1499G

Table Number 11.15: Birth Weight 1500-1999 Grams (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
764.06	Light-for-dates without mention of fetal malnutrition - 1500-1749 grams	LT-FOR-DATES 1500-1749G
764.07	Light-for-dates without mention of fetal malnutrition - 1750-1999 grams	LT-FOR-DATES 1750-1999G
764.16	Light-for-dates with signs of fetal malnutrition - 1500-1749 grams	LT-DATE W/MAL 1500-1749G
764.17	Light-for-dates with signs of fetal malnutrition - 1750-1999 grams	LT-DATE W/MAL 1750-1999G
764.26	Fetal malnutrition without mention of "light-for-dates" - 1500-1749 grams	FETAL MAL 1500-1749G
764.27	Fetal malnutrition without mention of "light-for-dates" - 1750-1999 grams	FETAL MALNUTR 1750-1999G
764.96	Fetal growth retardation, unspecified - 1500-1749 grams	FET GRWTH RET 1500-1749G
764.97	Fetal growth retardation, unspecified - 1750-1999 grams	FET GRWTH RET 1750-1999G
765.06	Extreme immaturity - 1500-1749 grams	EXTREME IMMAT 1500-1749G
765.07	Extreme immaturity - 1750-1999 grams	EXTREME IMMAT 1750-1999G
765.16	Other preterm infants - 1500-1749 grams	PRETERM NEC 1500-1749G
765.17	Other preterm infants - 1750-1999 grams	PRETERM NEC 1750-1999G

Table Number 11.16: Birth Weight 2000-2499 Grams (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
764.08	Light-for-dates without mention of fetal malnutrition - 2000-2499 grams	LT-FOR-DATES 2000-2499G
764.18	Light-for-dates with signs of fetal malnutrition - 2000-2499 grams	LT-DATE W/MAL 2000-2499G
764.28	Fetal malnutrition without mention of "light-for-dates" - 2000-2499 grams	FETAL MALNUTR 2000-2499G
764.98	Fetal growth retardation, unspecified - 2000-2499 grams	FET GRWTH RET 2000-2499G
765.08	Extreme immaturity - 2000-2499 grams	EXTREME IMMAT 2000-2499G
765.18	Other preterm infants - 2000-2499 grams	PRETERM NEC 2000-2499G

Table Number 11.17: Birth Weight 2500 Grams and over (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
764.09	Light-for-dates without mention of fetal malnutrition - 2500 grams and over	LT-FOR-DATES 2500+G
764.19	Light-for-dates with signs of fetal malnutrition - 2500 grams and over	LT-DATE W/MAL 2500+G
764.29	Fetal malnutrition without mention of "light-for-dates" - 2500 grams and over	FETAL MALNUTR 2500+G
764.99	Fetal growth retardation, unspecified - 2500 grams and over	FET GRWTH RET 2500+G
765.09	Extreme immaturity - 2500 grams and over	EXTREME IMMAT 2500+G
765.19	Other preterm infants - 2500 grams and over	PRETERM NEC 2500+G

Table Number 11.18: Major Surgery (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
	Please refer to The Joint Commission Specifications Manual	

Table Number 11.19: Mechanical Ventilation (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
93.90	Non-invasive mechanical ventilation	NON-INVASIVE MECH VENT
96.70	Continuous invasive mechanical ventilation of unspecified duration	CON INV MEC VEN-UNSP DUR
96.71	Continuous invasive mechanical ventilation for less than 96 consecutive hours	CONT INV MEC VEN <96 HRS
96.72	Continuous invasive mechanical ventilation for 96 consecutive hours or more	CONT INV MEC VEN 96+ HRS

Table Number 11.20: Birth Weight Less Than 500 Grams (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
764.01	Light-for-dates without mention of fetal malnutrition - less than 500 grams	LIGHT-FOR-DATES <500G
764.11	Light-for-dates with signs of fetal malnutrition - less than 500 grams	LT-FOR-DATE W/MAL <500G
764.21	Fetal malnutrition without mention of "light-for-dates" - less than 500 grams	FETAL MALNUTRITION <500G
764.91	Fetal growth retardation, unspecified - less than 500 grams	FET GROWTH RETARD <500G
765.01	Extreme immaturity - less than 500 grams	EXTREME IMMATUR <500G
765.11	Other preterm infants - less than 500 grams	PRETERM NEC <500G

Table Number 11.21: Galactosemia (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
271.1	Galactosemia	GALACTOSEMIA

Table Number 11.22: Parenteral Infusion (Ver. 2010A)

Code	ICD-9-CM Description	Shortened Description
99.15	Parenteral infusion of concentrated nutritional substances	PARENT INFUS NUTRIT SUB

Appendix ATJC

Specifications Manual for Joint Commission National Quality Core Measures (2010A2)

Discharges 04-01-10 (2Q10) through 09-30-10 (3Q10)

Appendix B

Medication Tables

Index of Appendix B Maternal/Child Focused Medication Table only

Table Number 11.0: Antenatal Steroid Medications (Ver. 2010A)

Table Number 11.0: Antenatal Steroid Medications (Ver. 2010A)

Medication	Generic
Betamethasone	Betamethasone
Betamethasone Sodium Phosphate	Betamethasone Sodium Phosphate
Betamethasone Sodium Phosphate and Betamethasone Acetate	Betamethasone Sodium Phosphate and Betamethasone Acetate
Celestone	Betamethasone
Celestone Phosphate	Betamethasone Sodium Phosphate
Celestone Soluspan	Betamethasone Sodium Phosphate and Betamethasone Acetate
Cortastat	Dexamethasone Sodium Phosphate
Dalalone	Dexamethasone Sodium Phosphate
Dalalone DP	Dexamethasone Acetate
Dalalone LA	Dexamethasone Acetate
Decadron	Dexamethasone
Decadron LA	Dexamethasone Acetate
Decadron Phosphate	Dexamethasone Sodium Phosphate
Decadron w/Xylocaine	Dexamethasone Sodium Phosphate with Lidocaine HCL
Decaject	Dexamethasone Sodium Phosphate
Decaject LA	Dexamethasone Sodium Phosphate
Dexamethasone	Dexamethasone
Dexamethasone Acetate	Dexamethasone Acetate
Dexamethasone Intensol	Dexamethasone
Dexamethasone Sodium Phosphate	Dexamethasone Sodium Phosphate
Dexamethasone Sodium Phosphate with Lidocaine	Dexamethasone Sodium Phosphate with Lidocaine
Dexamethasone Sodium Phosphate with Lidocaine HCL	Dexamethasone Sodium Phosphate with Lidocaine HCL
Dexasone	Dexamethasone Sodium Phosphate
Dexasone LA	Dexamethasone Acetate
Dexone	Dexamethasone
Dexone LA	Dexamethasone Acetate
Hexadrol	Dexamethasone
Hexadrol Phosphate	Dexamethasone Sodium Phosphate
Solurex	Dexamethasone Sodium Phosphate
Solurex LA	Dexamethasone Acetate

Appendix BTJC

Specifications Manual for Joint Commission National Quality Core Measures (2010A2)

Discharges 04-01-10 (2Q10) through 09-30-10 (3Q10)